



**İKTİSADİ VE İDARİ BİLİMLER FAKÜLTESİ**  
**YÖNETİM BİLİŞİM SİSTEMLERİ BÖLÜMÜ**

**2025 YILI EYLEM PLANI İZLEME RAPORU**

**2026**

## 2025 YILI EYLEM PLANI İZLEME RAPORU

İktisadi ve İdari Bilimler Fakültesi Yönetim Bilişim Sistemleri Bölümü 2025 Yılı Eylem Planı'nda toplam 5 eylem planlanmış olup bölüme öğrenci alımı yapılmadığı için 1 eylem gerçekleştirilmiştir.

[illegible]



## KALBİS KANIT FORMU

<b>Faaliyetin Yapıldığı Birim</b>	İİBF
<b>Bölüm/Alt Birim</b>	Yönetim Bilişim Sistemleri Bölümü
<b>Gerçekleştirilen Faaliyet Adı</b>	Bölümümüzde yapılmış olan SCI, SCIEmp, SSCI veya AHCI kapsamında yayınlar için ortalama 20 (yirmi) atıf hedeflenmektedir.
<b>Faaliyet Dönemi</b>	Aralık
<b>Gerçekleştirme Açıklaması</b>	<b>Bölümümüzdeki SCI, SCIEmp, SSCI veya AHCI endeksli yayınlara 2025 yılı içerisinde ortalama 30 (otuz) atıf yapılmıştır.</b>
<b>Kanıt Görseli</b>	<a href="https://www.tandfonline.com/doi/abs/10.1080/09737766.2021.2007037">https://www.tandfonline.com/doi/abs/10.1080/09737766.2021.2007037</a> <a href="https://www.ingentaconnect.com/contentone/tsp/jrm/2021/00000009/00000008/art00009">https://www.ingentaconnect.com/contentone/tsp/jrm/2021/00000009/00000008/art00009</a> <a href="https://hrcak.srce.hr/206368">https://hrcak.srce.hr/206368</a> <a href="https://www.ajol.info/index.php/ajb/article/view/60366">https://www.ajol.info/index.php/ajb/article/view/60366</a>  <a href="https://acikerisim.bartın.edu.tr/handle/11772/2454">https://acikerisim.bartın.edu.tr/handle/11772/2454</a> <a href="https://www.mdpi.com/1422-0067/9/4/626">https://www.mdpi.com/1422-0067/9/4/626</a> <a href="https://www.mdpi.com/1420-3049/13/5/1135">https://www.mdpi.com/1420-3049/13/5/1135</a>



198

Views

2

CrossRef  
citations to date

1

Altmetric

Research Article

## Unified theory of acceptance and use of technology (UTAUT) in mobile learning adoption : Systematic literature review and bibliometric analysis

Alper Aytekin, Hakan Özköse & Ahmet Ayaz

Pages 75-116 | Published online: 27 Jul 2022

Cite this article <https://doi.org/10.1080/09737766.2021.2007037>

Check for updates

References

Citations

Metrics

Reprints & Permissions

Read this article

Share

Sample our  
Social Sciences  
Journals  
>> Sign in here to start your access  
to the latest two volumes for 14 days

### Abstract

Various literature studies have been conducted to provide valuable information regarding the current research trend of Unified Technology Acceptance and Use Theory (UTAUT). When the literature was examined, it was seen that the UTAUT research on the adoption of mobile learning (M-learning) was ignored. Therefore, it was deemed necessary to conduct a literature study on the adoption of mobile learning. In this context, 31 research articles on the adoption of M-learning with UTAUT, published from 2003 to 2020, have been discussed for systematic literature research. These 31 specific research publications were discussed under four categories Performance Expectancy, Effort Expectancy, Social Influence and Facilitating Conditions. 63 different factors were identified after systematic literature review, except for UTAUT factors. These factors were grouped under 10 main factors. In addition, the authors in this field were identified by bibliometric analysis and the relationships between each other were determined by citation analysis. In addition to these, prominent terms have been determined according to the keywords and abstracts in the relevant articles. The connections between these terms have been created by the method of co-occurrence. Finally, the links between prominent terms and terms were examined with bibliometric analysis. According to the findings obtained, it has been determined that most UTAUT studies involving M-learning focus on extending UTAUT with external variables. It has been observed that the analyzed studies generally took place in the Asian countries. These studies have been carried out as multidisciplinary. In addition, it has been reported that most of these studies on M-learning take place in higher education settings. It is thought that the findings obtained at the end of the systematic literature review and bibliometric analysis study on the adoption of M-learning with UTAUT will constitute an important reference for academicians in this field.

**Keywords:** Mobile learning, UTAUT, Technology adoption, Systematic literature review, Bibliometric analysis, Higher education

### Related research

- People also read

To use or not to use ChatGPT in higher education? A study of students' acceptance and use of technology >

Artur Strzelecki  
Interactive Learning Environments  
Published online: 8 May 2023
- Recommended articles

ChatGPT adoption and anxiety: a cross-country analysis utilising the unified theory of acceptance and use of technology (UTAUT) >

Tribikram Budhathoki et al.  
Studies in Higher Education  
Published online: 27 Mar 2024
- Cited by 2

Unified Theory of Acceptance and Use of Technology: U.S. Vs. China >

Viswanath Venkatesh et al.  
Journal of Global Information Technology Management  
Published online: 9 Sep 2014
- View more



## Physical, Anatomical, and Photochemical Analyses of Some Exotic Wood Species Submitted to Heat Treatment

**Authors:** Aytekin, Alper; Yazıcı, Hikmet

**Source:** Journal of Renewable Materials, Volume 9, Number 8, August 2021, pp. 1485-1501(17)

**Publisher:** Tech Science Press

**DOI:** <https://doi.org/10.32604/jrm.2021.015768>

This article is Open Access under the terms of the [Creative Commons CC BY licence](#).

Download Article:



Download  
(PDF 5.497,3 kb)

Register

You are signed in as:  
**Nigde Üniversitesi**  
(Institutional registration)

**Nigde Üniversitesi**  
(Institutional registration)

Additional  
Sign In

Sign Out



[< previous article](#) [view table of contents](#) [next article >](#)

[ADD TO FAVOURITES](#)

Abstract

References

Citations

Supplementary Data

The objective of this study was to evaluate the effect of heat treatment on decorative properties including glossiness, color coordinates including lightness (L), blue-yellow (b\*) and red-green (a\*), hardness (shore-D) morphological characterization and thermal properties of some exotic wood species. Heat treatment of anigre (*Anigeria altissima*), cedrorana (*Cedrelinga catenaeformis*), cemara (*Casuarina sumatrana*) and coronilla (*Scutia buxifolia*) wood materials were performed in an oven with a programmable controller at 210°C for 3 h. The obtained samples were conditioned in a climate cabin and the decorative properties, morphological characterization with scanning electron microscopy (SEM) and thermal properties with thermogravimetric analyzer (TGA) of the obtained samples were determined. The test results showed that color got darker with heat treatment, specifically L and b\* decreased, and a\* increased for anigre and cedrorana but a\* decreased for cemara and coronilla. The glossiness for all samples generally increased from 20° to 85° but heat treatment decreased the glossiness. The density generally decreased with heat treatment and decrease ratio in the density was found to be in range from 5.6% to 10.6%. According to the SEM analysis, some cracks, pit aspiration and layer decomposition in the micro level of the wood structure were detected. TGA showed that heat treatment makes thermally more stable wood. As a result, it can be said that heat treatment improved the decorative properties of the exotic wood.

**Keywords:** ANIGRE WOOD; CEDRORANA WOOD; CEMARA WOOD; COLOR; CORONILLA WOOD; GLOSS; HARDNESS; HEAT TREATMENT

**Document Type:** Research Article

Publication date: 01 Ağustos 2021 Pazar

[More about this publication?](#)

### Tools

[Activate personal subscription](#)

[Reference exports +](#)

[Linking options +](#)

☒ [Receive new issue alert](#)

[Latest TOC RSS Feed](#)

[Recent Issues RSS Feed](#)

[Accessibility](#)

Dili Seçin

Google Çeviri tarafından desteklenmektedir

### Share Content



## Drvena industrija, Vol. 69 No. 3, 2018.

Prethodno priopćenje

<https://doi.org/10.5552/drind.2018.1736>

Using Hybrid Method in Selecting Timber Factory Location

Alper Aytekin  [orcid.org/0000-0002-2756-7870](https://orcid.org/0000-0002-2756-7870) ; Odjel za upravljanje informacijskim sustavima, Sveučilište u Bartinu, Bartin, Turska

Puni tekst:

 engleski pdf 451 Kb

str. 273-281

preuzimanja: 713

čitaj

### Sažetak

The selection of location is vital for a timber factory to keep on functioning. It is a significant decision during the setup of a business and the preparation of projects. Therefore, dual scaling method often used for selecting the timber factory location and Analytic Hierarchy Process (AHP) have been used in this study. While the AHP method and the double weighing method were previously used separately, the aim of this study was to use these two studies together in order to obtain more reliable results. For this purpose, in the Western Black Sea region of Turkey, five different candidate cities were selected for the establishment of a factory site for timber production: Bartın, Bolu, Kastamonu, Karabük and Zonguldak. At the same time, a total of ten factors including raw materials, labor, market, construction costs, energy and fuel, water, transportation, tax, security and social environment were determined. As a result of the study, the hybrid method, which is based on the average of both methods, yielded more reliable results.





DOWNLOAD PDF



DOI:

Keywords:

Camiyani Black Pine computer software drying schedule.

Issue

Vol. 8 No. 8 (2009)

Section

Articles

Copyright for articles published in this journal is retained by the journal.

## Drying schedules calculation of Camiyani Black Pine (*Pinus nigra* Arn. subsp. *pallasiana* var. *pallasiana*) by computer programming

A. Aytakin

G. Gündüz

B. Kaygin

S. Korkut

S.M. Onat

### Abstract

In this study, computer aided drying schedules were developed for Camiyani Black Pine (*Pinus nigra* var. *pallasiana*) lumber for less than 30 mm thick, between 30-60 mm thick and larger than 60 mm.

Schedules were calculated on drying gradient basis. In this software (named KILNBRAIN), users can find more than one hundred other species' data (density, fiber saturation point, temperatures for warming up and drying periods, drying gradients for moisture contents above and less than 20%). Users can choose lumber thickness, initial and final moisture content, kiln type, air velocity and drying quality. One of the advantages of KILNBRAIN is that the drying schedule can be operated manually according to this data. Moreover, possible total drying duration can be predicted.



# The effect of treatment time on dimensionally stability, moisture content and mechanical properties of heat treated Anatolian chestnut (*castanea sativa mill.*) wood



Göster/Aç

A5.pdf (406.1Kb)

Tarih

2009

Yazar

Aytekin, Alper

Gündüz, Gökhan

Aydemir, Deniz

Kaygın, Bülent

In this study, the effect of treatment time on dimensional stability, moisture content, and mechanical properties of heat-treated Anatolian chestnut (*Castanea sativa Mill.*) were investigated. Test specimens were subjected to a temperature of 180°C at atmospheric pressure for five different treatment times (2, 4, 6, 8, and 12 hours). After the heat treatment of the specimens was completed, their moisture contents at relative humidity (RH) conditions of 45, 55, 65, 80, and 95%, their dimensional stabilities, their mechanical properties, e.g., bending strength, modulus of elasticity, and compression strength, were determined. The data obtained were analyzed using variance analysis, and then the statistical analysis of Tukey's test was conducted. The results showed that heat treatment resulted in decreased (i.e., improved) moisture content, enhanced dimensional stability, and reductions of the mechanical properties. The decrease of mechanical properties that resulted from the 12-hour test was greater than the reductions observed for the tests that lasted 2, 4, 6, and 8 hours.

Bağlantı

<http://hdl.handle.net/11772/2454>

Koleksiyonlar

Yönetim Bilişim Sistemleri Bölümü Makale Koleksiyonu [20]

Ara



☒ DSpace'de Ara

☐ Bu Koleksiyon



☒ Dergi Adı / ISSN ☐ Yayıncı

Ara

☒ Başlık ☐ İle Başlar ☐ Ölçerir ☐ ISSN

GÖZAT

Tüm Alanlar

Bölümler & Koleksiyonlar

Tarihe Göre

Yazara Göre

Başlıca Göre





Search for Articles:

Title / Keyword

Author / Affiliation / Email

International Journal ...

All Article Types

[Search](#)

[Advanced](#)

[Journals](#) / [IJMS](#) / [Volume 9](#) / [Issue 4](#) / [10.3390/ijms9040626](#)



International Journal of  
*Molecular Sciences*

[Submit to this Journal](#)

[Review for this Journal](#)

[Propose a Special Issue](#)

## Article Menu

[Subscribe SciFeed](#)

[Recommended Articles](#)

[Related Info Links](#)

[More by Author Links](#)

**Article Views** 10386

**Citations** 36

[Order Article Reprints](#)



Altmetric



Share



Help



Cite



Discuss in  
SciProfiles

[Open Access](#) [Article](#)

## Determination of Screw and Nail Withdrawal Resistance of Some Important Wood Species

by [Alper Aytekin](#)

Zonguldak Karaelmas University, Bartın Forestry Faculty, 74100 Bartın, Turkey

*Int. J. Mol. Sci.* **2008**, *9*(4), 626–637; <https://doi.org/10.3390/ijms9040626>

**Submission received:** 1 February 2008 / **Revised:** 10 April 2008 / **Accepted:** 23 April 2008 /

**Published:** 24 April 2008

(This article belongs to the Section Biochemistry)

[Download](#)

[Browse Figures](#)

[Versions Notes](#)

### Abstract

In this study, screw and nail withdrawal resistance of fir (*Abies nordmanniana*), oak (*Quercus robur* L.) black pine (*Pinus nigra* Arnold) and Stone pine (*Pinus pinea* L.) wood were determined and compared. The data represent the testing of withdrawal resistance of three types of screws as smart, serrated and conventional and common nails. The specimens were prepared according to TS 6094 standards. The dimensions of the specimens were 5×5×15cm and for all of the directions. Moreover, the specimens were conditioned at ambient room temperature and 65±2% relative



Search for Articles:

Title / Keyword

Author / Affiliation / Email

Molecules

All Article Types

Search

Advanced

Journals / Molecules / Volume 13 / Issue 5 / 10.3390/molecules13051135



Submit to this Journal

Review for this Journal

Propose a Special Issue

## Article Menu

Subscribe SciFeed

Recommended Articles

Related Info Links

More by Authors Links

Article Views 16171

Citations 41

K

Order Article Reprints



Share



Help



Cite



Discuss in  
SciProfiles

Open Access Article

## Hormone and Microorganism Treatments in the Cultivation of Saffron (*Crocus Sativus* L.) Plants

by Alper Aytekin\* and Aynur Ozkul Acikgoz

Zonguldak Karaelmas University, Bartin Forestry Faculty, 74100 – Bartin, Turkey

\* Author to whom correspondence should be addressed.

Molecules 2008, 13(5), 1135–1147; <https://doi.org/10.3390/molecules13051135>

Submission received: 4 April 2008 / Revised: 17 April 2008 / Accepted: 9 May 2008 / Published: 13 May 2008

Download

Browse Figures

Versions Notes

### Abstract

The difficult cultivation of the saffron plant (*Crocus Sativus* L.) make the spice of the same name made from its dried stigmas very valuable. It is estimated that some 75,000 blossoms or 225,000 hand-picked stigmas are required to make a single pound of saffron, which explains why it is the world's most expensive spice. The aim of this study was to identify ways of increasing the fertility and production of saffron. For this purpose, the treatment of saffron bulbs with a synthetic growth hormone – a mixture of Polystimulins A6 and K – and two different microorganism based materials – biohumus or vermicompost and Effective Microorganisms™ (EM) – in four different ways (hormone